



Equipos de aspiración para polvo y lodo





DUST EXTRACTOR S 36 | 230 V | 1 ph | BOX 30 A | NA

S 36 is a very powerful single-phase HEPA dust extractor to match the grinding machines Husqvarna PG 530 (1-phase), PG 450, PG 400 and PG 280 as well as small to mid size scarifiers, grinders, shot blasters and handheld power tools. This professional dust extractor is designed to meet strict demands. Three large, commercial-grade vacuum motors provide plenty of power. Equipped with three independently tested and certified HEPA H13 filters and a massive cone-shaped pre-filter with over 4.5 m² of media. This results in superior dust collection, even of fine sanding and gypsum dust. Features include Jet Pulse pre-filter cleaning, hour counter and vacuum meter for filter control. The non-marking wheels are puncture free and lock at the front. The Longopac® bag hose system ensures simple, dust-free bag changes.

Motor

DUST EXTRACTOR S 36 | 230 V | 1 ph | BOX 30 A | NA

Diámetro máximo de brocas, manual	3.6 kW
Fases	1 ph
Voltaje	230 V
Corriente nominal, A	18.7 A
Aspiración máx.	280 mbar
Fuente de alimentación	Cable

Datos del producto

DUST EXTRACTOR S 36 | 230 V | 1 ph | BOX 30 A | NA

Air flow	600 m ³ /h
----------	-----------------------

HEPA Filters 99.99% at 0.3
microns

3

Dimensiones

DUST EXTRACTOR S 36 | 230 V | 1 ph | BOX 30 A | NA

Longitud del producto 830 mm

Ancho del producto 620 mm

Altura del producto 1,500 mm

Peso 63 kg

Longitud del embalaje 820 mm

Ancho del embalaje 620 mm

Altura del embalaje 1,520 mm

Peso bruto del artículo 88,000 g



© Husqvarna AB (publ). Todos los derechos reservados. Los precios indicados son precios recomendados de venta al público.

[Política de cookies](#) [Condiciones de uso](#) [Aviso de privacidad](#) [Editorial](#)

[Contacto](#)

